

SPECIFICATIONS

HEIGHT	6"
WIDTH	7"
STOCK LENGTHS	24" /// 48" /// 94"
MATERIAL	.08 (12 Gauge) Aluminum
WEIGHT	3.05Lbs per Lineal Foot
GROMMET	80 mm Round Black Grommet
PORTAL SPACING	24" on Center
PORTAL QUANTITY	24" section; 1 ea. /// 48" section; 2 ea. /// 94" section; 4 ea.
BASE COLOR STOCK	Black Matte <i>Custom colors available</i>
LID COLOR STOCK	Silver Vein with Clear Coat <i>Custom colors available</i>
INTERNAL VOLUME	479.4 Cubic Inches per Lineal Foot

Note: The Clubline Raceways System is not UL approved.




Visit us online for specs, warranty, installation and maintenance guidelines /// crg.us.com

PARTS LIST

QUANTITY
NEEDED

PAGE 1/2

A1 SPEC-CLR-94BS-BLK	Base Section 94" Long	
A2 SPEC-CLR-94LCS-SV	94" Long Lid Section	
A3 SPEC-CLR-48BS-BLK	Base Section 48" Long	
A4 SPEC-CLR-48LCS-SV	48" Long Lid Section	
A5 SPEC-CLR-24BS-BLK	Base Section 24" Long	
A6 SPEC-CLR-24LCS-SV	24" Long Lid Section	
A7 SPEC-CLR-FW-INT-RC	Raceway 4 Way Intersection	
A8 SPEC-CLR-T-INT-RC	Raceway T Intersection	
A9 SPEC-CLR-CORNER-90	90 Degree Corner Section	
A10 SPEC-CLR-CORNER-225	22.5° // 11.25° // 5.625° Arc Section	
A11 SPEC-CLR-END CAP-BLK	Raceway Finished End Cap	



PARTS LIST

QUANTITY
NEEDED

PAGE 2/2

B1 SPEC-RACEWAY-LVDB Low Voltage Data Bridge

B2 SPEC-RACEWAY-LVD-94 Low Voltage Divider 94"

B3 SPEC-RACEWAY-LVD-48 Low Voltage Divider 48"

B4 SPEC-RACEWAY-LVD-24 Low Voltage Divider 24"

B5 SPEC-CLR-TMB-SV 8' 94" Treadmill Brake With Clips

B6 SPEC-CLR-TMB-SV 4' 48" Treadmill Brake With Clips

C1 SPEC-CLR-ECP Electrical Cover Plate

C2 SPEC-CLR-EAP Electrical Adapter Plate

C3 80mm Grommet 80mm Black Cord Portal

All hardware needed for CRG Raceways installation is included with order.

