

—TABLE OF CONTENTS BASKFTBALL 04 – 05 I ARENA RENEGADE® PORTABLE BACKSTOP 06 - 07 | ARENA® PORTABLE BACKSTOP 08 - 09 I BENEFITS OF ARENA BACKSTOPS 10 - 11 I PORTABLE ASSESSMENT & CUSTOMIZATION 12 - 13 I G8 & G5 14 - 15 I 2500 & 2000 BACKSTOP 16 – 17 I FASTBREAK 960 & 940, THE BEAST [®] & FASTBREAK 930 18 - 19 I 8' TOURNAMENT PORTABLE 20 - 23 I BASKETBALL GOALS 24 - 25 I GLASS BACKBOARDS 26 I E-Z BOLT™ PACKAGING 27 I BACKBOARD PACKAGE 28 I HELIX® HEIGHT ADJUSTERS 29 I NON-GLASS BACKBOARDS 30 - 33 I BASKETBALL ACCESSORIES GYMNASIUM 34 - 37 I CEILING-SUSPENDED BACKSTOPS 38 I WALL-BRACED BACKSTOPS 39 I BATTING CAGES 40 - 41 I DIVIDER CURTAINS 42 - 43 I WALL PADDING 44 I COMPONENTS 45 I COACH'S NOTES & WARRANTY LEVEL OF PLAY ICONS



OFFICIAL SUPPLIER OF BACKSTOP, BACKBOARD, AND GOAL TO:















OFFICIAL MEMBER OF:











ARENA RENEGADE®



NEW SLIM PROFILE

Provides greater audience visibility

IMPROVED STRUCTURAL RIGIDITY

by increasing the size of the safety lock and telescopic adjustment tube

HIDDEN CABLE CHANNEL

on the boom helps give a cleaner appearance during play

STABILITY LOCK

helps decrease sway

BACKSTOP FEATURES:

- Available in 10' 8" and 8' extensions to meet all professional, collegiate, high school, and international specifications
- Arena Renegade® SuperGlass™ Prosb™
 Backboard (413-100) (42" x 72") with limited
 lifetime warranty
- Slam-Dunk® Precision 180sb™ Goal with limited 7-year warranty

- Protective padding covered in 30 oz. vinyl
- Counterweight of 1500 to 2000 lbs. for superior stability
- E-Z Bolt™ Backboard padding available in 12 color options (see page 11 for colors)

401-050 Arena Renegade[®] Backstop–Spring Assist with 10' 8" extension

401-060 Arena Renegade[®] Backstop–Spring Assist with 8' extension


BENEFITS OF ARENA® SYSTEMS - SEE PAGES 8-9





gave the Arena Renegade® its name. If high quality and performance are what you are looking for, look no further than the Spalding® Arena Renegade® Backstop.

ARENA® BACKSTOP



BACKSTOP FEATURES:

- Available in 10' 8" and 8' extensions to meet all professional, collegiate, high school and international specifications
- Counterweight of 1500 to 2000 lbs. for superior stability
- Rolls on six 6" x 2" casters for maximum load dispersion
- SuperGlass[™] Prosb[™] Backboard (413-002) (42" x 72") with limited lifetime warranty
- Slam-Dunk® Precision 180sb™ Goal with limited 7-year warranty
- Protective padding covered in 30 oz. vinyl
- E-Z Bolt[™] Backboard padding available in 12 color options (see page 11 for colors)

ARENA® BACKSTOP -SPRING ASSIST

- Spring assisted lifting mechanism
- Positive lock at 8', 9' and 10' playing heights

401-990 Arena[®] Backstop–Spring Assist with 10' 8" extension **401-980** Arena[®] Backstop–Spring Assist with 8' extension **401-946** Arena[®] Backstop–Spring Assist with Jack for

401-946 Arena® Backstop–Spring Assist with Jack for 10' 8" extension

401-944 Arena[®] Backstop–Spring Assist with Jack 8' extension



BENEFITS OF ARENA® SYSTEMS - SEE PAGES 8-9

BENEFITS OF ARENA® BACKSTOPS

POWDER-COATED FINISH

Each Spalding® backstop is powder-coated to ensure a durable long-lasting finish. Custom frame colors are available to match your facility's color scheme.

INTERNAL WIRING

Shot clock cables and time out indicator wires can all be neatly hidden with the internal wiring option.

AUTOMATIC LIFTING MECHANISM

The ALM system allows Spalding® backstops to be set-up and operated without the use of tools, hydraulics, or sub-frames.

LIFTING MECHANISM

One person can raise and lower the unit in seconds using the spring assisted lifting mechanism and lift assist handles.

FLOOR ANCHOR SYSTEM

A floor anchor system is provided with your backstop to meet the requirements of governing organizations. Whether it is a portable or permanent floor, the Spalding® brand has the anchoring system to meet your needs.

LOCATING SYSTEM

Spalding® backstops employ the best grade of casters, locator pins, and footpads to aid in the simple process of locating your backstop on your court.

CUSTOM LOGOS

School or sponsor logos can be imprinted on the frame padding of all models of Spalding® backstops. Imprinting logos allows you to generate revenue by offering your backstop padding space to local and national sponsors. See page 11 for customization options.





SHOT CLOCK HOLDERS

Spalding® brand has the capability to fabricate the perfect shot clock holder for your application. The custom matching holders precisely fit your shot clocks to ensure a solid, vibration-free fit, whether it's a front, side, or top-loading shot clock, and two, three, or four-sided.

LED BACKBOARD LIGHTING

The LED backboard lighting is for 42"x72" Strongback & T-plate backboards, 413-002 & 411-007. The backboard lighting is constructed of an aluminum channel with a vinyl edging to protect the glass. The lights work on 12V DC to 24V DC. Kits come with a connecting wire that will need to be connected to the power by an electrician.

401-020 LED Backboard Lighting with DC
Connection (compatible with 413002 and 411007 backboards)
401-027 Transformer for LED Lighting (sold separately)



DIRECT MOUNT SYSTEM

The hardware buffer system allows the rim to be mounted directly to the backstop frame without the rim bolts touching the glass. This buffer system eliminates the chance of breaking a backboard during play.

ARENA® ACCESSORIES

PORTABLE ADJUSTMENT BAR

The powder-coated bar is 60" long made of $1^{1}/_{8}$ " heavy wall DOM material. The bar has an attached non-marking rubber foot and a soft rubber grip.

401-155 Portable Adjustment Bar

RIM HEIGHT INDICATOR

- No ladder required
- Indicator is 10' in total length

313-450 Rim Height Indicator






INSPECTION • RECOMMENDATION • SERVICE


- Our factory representative will visit your facility
- A written report will be provided once inspection is complete
- Additional services available (NCAA rebound elasticity, etc.)
- Volume discounts available, please inquire when booking consultation

CALL 1.800.435.DUNK (3865) EXT. #6994 TO SCHEDULE AN ASSESSMENT



Spalding will help facilitate a connection with one of our trained and certified installers.

BACKSTOP CUSTOMIZATION





SPALDING OFFERS 80+ PADDING COLORS TO MATCH SCHOOL COLORS

In addition to being easy to clean, Naugahyde fabrics have been proven to be stain-resistant, durable, fire retardant and antimicrobial.


AVAILABLE FOR

- ARENA RENEGADE
- ARENA BACKSTOP
- G8TM
- G5TM




G SERIESTM BACKSTOPS-





G8™ PORTABLE BACKSTOP

storage dimensions: 160 1/2" long x 6' 10" high x 76" wide



G8™ PORTABLE - 8' Extension Footprint

G8™ BACKSTOP FEATURES:

- Main court backstop for high school and intramural competition
- 8' distance from backboard to front pad at standard height. Height adjustable: 6' 10'
- 1,000 lbs. of ballast

401-975 G8 Portable Backstop








SHARED FEATURES:


3" THICK PADDING COVERED IN 30 OZ. VINYL

SYSTEMS INCLUDE: SUPERGLASS™ COLLEGIATESB™ BACKBOARD (42" X 72"); E-Z BOLT™ AND BASE PADDING; FLOOR ANCHOR WHITE POWDER-COATED FINISH (CUSTOM COLORS AVAILABLE)





G5™ PORTABLE BACKSTOP storage dimensions: 126 ³/8" long x 6' 10" high x 76" wide



G5™ PORTABLE - 5' Extension Footprint

G5™ BACKSTOP FEATURES:


- Side court backstop for college and professional practice
- 5' distance from backboard to front pad at standard height. Height adjustable: 6' 10'
- 960 lbs. of ballast

401-970 G5™ Portable Backstop












SPRING ASSISTED LIFTING MECHANISM (NO TOOLS NEEDED)




ROLLS ON EIGHT - 6" X 2"
URETHANE WHEELS FOR
MAXIMUM LOAD DISPERSION

2500 PORTABLE BACKSTOP -







2500 BACKSTOP FEATURES:

- Portable backstop designed with a smaller base to hold a full-size glass backboard for use at colleges, schools, and churches
- 72" x 42" high performance, aluminum framed glass backboard (413-012)
- Goal height is adjustable from 8' to 10'
- Backstop contains 1,000 lbs. of ballast
- White powder-coat finish
- Indoor anchor kit
- Warranty: Backstop frame, 10-year; Telescoping brace, 2-year; Floor pedestals, 2-year; Backboard, 20-year or lifetime on direct mounts; Slammer™ Competitor Goal, 2-year; Backboard Padding, 5-year

401-879 2500 Portable Backstop


SHARED FEATURES:

BACKBOARD
IS MADE OF ½"
TEMPERED GLASS

SLAMMER™ COMPETITOR GOAL (411-528)

SPRING ASSISTED ONE LEVER HEIGHT ADJUSTMENT (NO TOOLS NEEDED)

2000 PORTABLE BACKSTOP



2000 BACKSTOP FEATURES:

- Versatile glass backboard portable basketball system for colleges, schools and churches
- 54" x 42" high performance, aluminum framed glass backboard (411-798)
- 54" Grey Backboard Padding Included
- Goal height is adjustable from 7' 6" to 10'
- Backstop contains 725 lbs. of ballast
- Warranty: Backstop frame, 10-year; Telescoping brace, 2-year; Floor pedestals, 2-year; Backboard, 10-year; Slammer™ Competitor Goal, 2-year

411-800 2000 Portable Backstop







MULTI-PIECE BASE PADDING INCLUDED (BLACK ONLY)



ROLLS ON FOUR -4" WHEELS RATED FOR 600 LBS. EACH


PORTABLE BACKSTOPS



FASTBREAK 960™ BACKSTOP:

- Designed for institutional use at high schools, camps, churches or health clubs
- 60" x 36" high performance, aluminum framed acrylic backboard
- Easily folded by two people


411-870 Fastbreak 960™ Portable Backstop



FASTBREAK 940™ BACKSTOP:

- Designed for elementary schools, recreation centers, or as a superior home unit
- 54" x 32" high performance, aluminum framed acrylic backboard
- Backboard folds down for storage

411-860 Fastbreak 940™ Portable Backstop



SHARED FEATURES:

- BACKBOARD IS 3/8" THICK ACRYLIC FOR SUPERIOR REBOUND
- EXTENSION ARM PROVIDES 6' OF OFFSET AT 10' GOAL HEIGHT
- PRO IMAGE™ BREAKAWAY GOAL (411-511)

- GOAL HEIGHT IS ADJUSTABLE FROM 7' TO 10'
- MULTI-PIECE BASE PADDING INCLUDED (BLACK)
- BASE DIMENSIONS: 50" X 30" X 21½"
- 2-YEAR LIMITED WARRANTY





THE BEAST® 60 GLASS PORTABLE:

- Designed for side court recreational or outdoor residential play
- Board size: 60" x 36"
- Tempered glass board
- Steel board frame
- Steel Pro Image[™] breakaway rim
- 7.5' to 10' height adjustment; screw jack lift
- 5" square steel pole
- Power Move[™] Base fills with 55 gallons of water or sand
- Four wheels
- 5-Year Limited Warranty


421-232 The Beast® 60 Glass Portable



FASTBREAK 930™ BACKSTOP:

- Designed for side court recreational play
- Tips back for easy movement on built-in wheels
- Quick set up and take down
- Arena Slam[®] Breakaway Goal
- Acrylic Backboard is 48" x 32"
- Telescoping poles adjust height from 7' to 10'
- All steel, welded construction
- Base has vinyl trim to avoid marring floors
- Includes full front padding (black)
- Base dimensions: 35 1/4" x 19 3/4" x 13 1/4"
- 2-Year Limited Warranty

411-835 Fastbreak 930™ Portable Backstop w/Acrylic Backboard



SPALDING® EQUIPMENT 2020 | 17

8' PORTABLE BACKSTOP -

8'TOURNAMENT PORTABLE BACKSTOP





- Easily sets up in under 45 minutes using minimal staff
- New look, enhanced performance, and setup configurations are designed for indoor tournaments
- Fork pockets allow for easy movement on and off trucks as well as setting the backstop into place
- Backstop contains ALM technology to easily raise the unit with a drill and socket onto four quick leveling corner foot pads at play height
- Quick attach mounting plate allows simple backboard installation
- Telescoping boom easily adjusts for 6', 7' & 8' of run out room while maintaining 10' height
- Easy attach padding wraps the entire base of the unit for safety and creates excellent sponsorship rental space
- 72" x 42" acrylic backboard

401-074 8' Tournament Portable Base

- Slam-Dunk® Pro Goal (411-704)
- Powder coated in Spalding® navy vein with navy blue pads

 custom color options available




Stackable weight carts provide additional space when transporting

Compact design allows for transportation and storage to and from the court with the folding boom




Backboard braces and rim are conveniently stored in the base during transport




TRUCK DIAGRAMS

BACK TO BACK CONFIGURATION:



Configuration of units dependent on combination of single and back to back units. Up to 28 units can be shipped on a 53' trailer, subject to backstop configurations and quantity.

BASKETBALL GOALS



Steel brace over 50% of the ring circumference for maximum strength

2. Net attachment Easy Glide™



57" co-polymer cable slides through tubes on bottom perimeter of steel ring

Ram Horn™



Coiled steel configuration for secure and easy attachment

- Rims are made of 5/8" cold rolled steel formed to make an 18" inside diameter ring
- 4. Breakaway or flex mechanism see below illustration for goal distinction
- 5. Mounting plate for 5"x5", 5"x4", or universal rims
- Reflex mechanism available in breakaway or flex goals located under rim or on top plate
- 7. Net is included with each goal

GOAL DISTINCTION







POSITIVE LOCK BREAKAWAY GOALS

Spring-loaded to withstand a specific amount of force before breaking away and pivoting downward. Once the force is removed the rim will return to play position.

FLEX BREAKAWAY GOALS

Spring-loaded, so the rim will not breakaway, but instead cause the rim to flex from play position and return once the force is removed.

FIXED GOALS

Made of a hard-wearing steel that will not flex or breakaway but stay strong through repetitive use.



ARENA® 180 GOAL



- Developed for top of the line talent and hard-core dunking
- Meets NBA® dimensional specifications
- 180° positive lock breakaway action
- Safety padded cover plate with foam/rubber upper + lower finger guards
- Anti-whip net + mounting hardware included

413-583 Arena® 180 Goal (5" X 4" Mounting Pattern)

Easy Glide™ Net System Final Four

Official goal of the 2020 NCAA® Men's & Women's Final Four®

SLAM-DUNK® PRECISION 180 GOAL



- Ideal for elite level collegiate play at any angle
- Meets NCAA® & NFHS® dimensional specifications
- 180° Flex breakaway action
- Anti-whip net + mounting hardware included
- 413-577 Slam-Dunk® Precision 180 Goal (5" X 5" Mounting Pattern)
- 413-574 Slam-Dunk® Precision 180sb™ Goal (5" X 4" Mounting Pattern)


Easy Glide™ Net System 411-705 RAM HORN™ NET SYSTEM

SLAM-DUNK® GOAL



- Aimed for lower level collegiate play or top high school talent
- Meets NCAA® & NFHS® dimensional specifications
- Flex breakaway action
- For use with 48" and 42" backboards
- Anti-whip net + mounting hardware included
- 411-704 Slam-Dunk® Goal Easy Glide™ Net System (Universal Mounting Pattern)
- 411-705 Slam-Dunk® Goal Ram Horn™ Net System (Universal Mounting Pattern)

BASKETBALL GOALS







SLAMMER™ COMPETITOR GOAL



- Built for advanced high school or higher-level recreation play
- Meets NCAA® & NFHS® dimensional specifications
- Positive lock breakaway action
- For use with 48" and 42" backboards
- Standard net + mounting hardware included

411-528 Slammer™ Competitor Goal Easy Glide™ Net System (Universal Mounting Pattern)

411-508 Slammer™ Competitor Goal Ram Horn™ Net System (Universal Mounting Pattern)

SLAMMER™ COMPETITION 180 GOAL



- Great for light dunking from any direction during recreational play
- Meets NFHS® dimensional specifications
- 180° flex breakaway action
- For use with 48" and 42" backboards
- Anti-whip net + mounting hardware included

411-723 Slammer[™] Competition 180° (Universal Mounting Pattern)

SLAMMER™ FLEX GOAL



- Designed for minimal dunking during recreational play
- Flex breakaway action
- For use with 48" and 42" backboards
- Standard net + mounting hardware included

411-506 Slammer™ Flex Goal Ram Horn™ Net System (Universal Mounting Pattern)

RIM DIFFERENTIATION	413-583 Arena™ 180	413-577 Slam- Dunk™ Precision 180	413-574 Slam-Dunk™ Precision 180sb	411-704 Slam- Dunk™ w/ Easy Glide	411-705 Slam- Dunk™ w/ Ram Horn	411-528 Slammer™ Competitor w/ Easy Glide
Positive Lock Breakaway Flex Breakaway Fixed	•	0	• •	• •	•	•



ROUGHNECK™ GORILLA GOAL®



- Fixed goal, with no breakaway action
- For use with 48" and 42" backboards
- Nylon net + mounting hardware included

411-556 Roughneck™ Gorilla Goal® (Universal Mounting Pattern)




SUPER GOAL™



- Fixed goal, with no breakaway action
- For use with 48" and 42" backboards
- Nylon net + mounting hardware included

411-551 Super Goal™ (Universal Mounting Pattern) **411-553** Super Goal II™ (Universal Mounting Pattern)



HERCULES®




- Rear variable mount fixed goal, with no breakaway action
- For use with 48" and 42" backboards
- Nylon net + mounting hardware included

411-554 Hercules® (Rear Variable Mounting Pattern)
411-552 Hercules® II (Rear Variable Mounting Pattern)

411-508 Slammer™ Competitor w/ Ram Horn	411-506 Slammer™ Flex	411-723 Slammer™ Competition 180	411-556 Roughneck™ Gorilla	411-551 Super Goal™	411-553 Super Goal™ II	411-554 Hercules®	411-552 Hercules® II
• 0 0	• •	0 •	0	0	0	0	0

GLASS BACKBOARDS

FEATURES:





1/2" TEMPERED GLASS

2.

2" BORDER AND TARGET ARE FIRED INTO THE GLASS FOR LIFETIME LASTING FINISH 3.

MOUNTING PLATE TO ATTACH TO GOAL (See board for specific mounting pattern) 4.


5/16" ALUMINUM FRAME FITTED WITH SHOCK ABSORBING MATERIAL TO THE GLASS *5.*

FOUR 3/16" THICK
KEY HOLE BRACKETS
IN THE CORNERS FOR
MOUNTING

SUPERGLASS™ PRO BACKBOARD



- Meets FIBA®, NCAA® & NFHS® specifications
- Strongback™ 3" channel for added backboard stiffness
- Direct goal-mount design prevents goal from touching glass
- For use with Wall-Braced & Ceiling-Suspended units
- Includes bottom mounting slots for 4-point options
- 413-000 Superglass™ Pro Backboard (72" X 48") (5" X 5" Goal Mounting Pattern) (42 ½" X 63" Backboard Mounting Pattern)
- 413-001 Superglass™ Prosb™ Backboard (72" X 42") (5" X 4" Goal Mounting Pattern) (36 ½" X 63" Backboard Mounting Pattern)



*E-Z Bolt™ padding not included with backboards but recommended.

SuperGlass™ Collegiate SB™ Backboard 72" x 42"





SUPERGLASS™ COLLEGIATE BACKBOARD



- Meets NCAA® & NFHS® specifications
- For use with Spalding® Helix® Height Adjuster
- For use with Single Mast Ceiling-Suspended units (mounting bracket purchase may be required)

411-007 Superglass™ Collegiate™ Backboard (72" X 42") (5" X 4" Goal Mounting Pattern) (36" X 63" Backboard Mounting Pattern)

411-008 Superglass™ Collegiate™ Backboard (72" X 48") (5" X 5" Goal Mounting Pattern) (42" X 68" Backboard Mounting Pattern)








SUPERGLASS™ CONVERSIONSB™ BACKBOARD



- Meets NFHS® specifications
- For use with Spalding® Helix® Height Adjuster
- Built-in Adapter Frame for Fan-Shaped or Rectangular backboards
- For use with Single Mast Ceiling-Suspended units
- Pre-drilled aluminum frame for bolt-on backboard padding

413-019 Superglass™ Conversionsb™ Backboard (72" X 42") (5" X 4" Goal Mounting Pattern) (35" X 20" Backboard Mounting Pattern)



SuperGlass™ Collegiate Backboard with Center Strut 72" x 42"





SUPERGLASS™ COLLEGIATESB™ BACKBOARD WITH CENTER STRUT



- Meets NCAA® & NFHS® specifications
- Four-corner mount design with center strut rim support
- For use with Wall-Braced & Ceiling-Suspended units
- Twenty-year warranty

413-011 Superglass™ Collegiatesb™ Backboard With Center Strut (72" X 42")
(5" X 4" Goal Mounting Pattern)
(36" X 63" Backboard Mounting Pattern)

EZ BOLT™ PADDING

E-Z BOLT™ PADDING FOR 72" RECTANGULAR BACKBOARDS



- Bolt-on backboard padding for 72" rectangular backboards
- Constructed of molded urethane with 2 ¼" wide channel
- Meets NBA®, NCAA®, FIBA® and NFHS® specifications
- Eight bolts for easy attachment to 72" glass backboards
- Sold as a set that will fit on one 72" glass backboard
- 12 color options available









COLOR OPTIONS



BACKBOARD PACKAGE


CHOOSE YOUR BACKBOARD




- 413-000 SuperGlass™ Pro Backboard 72" x 48"
- 413-001 SuperGlass™ ProSB™ Backboard 72" x 42"



- 411-008 SuperGlass™ Collegiate Backboard 72" x 48"
- 411-007 SuperGlass™ CollegiateSB™ Backboard 72" x 42"



• 413-011 SuperGlass™ CollegiateSB™ with center strut Backboard 72" x 42"



• 413-019 SuperGlass™ ConversionSB™ Backboard 72" x 42"



CHOOSE YOUR GOAL



- 411-704 Slam-Dunk® Pro Goal w/ Universal Mounting Pattern
- 411-705 Slam-Dunk® Goal w/ Universal Mounting Pattern



- 411-508 Slammer™ Competitor - Ram Horn™ w/ Universal Mounting Pattern
- 411-528 Slammer™ Competitor Goal - Tube Tie w/ Universal Mounting Pattern



- 413-577 Slam-Dunk® Precision 180 Goal (not compatible w/ 42" boards)
- 413-574 Slam-Dunk® Precision 180SB™ (not compatible w/ 48" boards)



• 411-723 Slammer™ Competition 180 Goal w/ Universal Mounting Pattern

CHOOSE YOUR PADDING



- 12 color options available
- Bolt-on backboard padding for 72" rectangular backboards

NOTE: Colors shown in catalog and on website may not be an exact match





























BLACK

GRAY 413-414 MAROON

PURPLE

BLUE 413-419

ROYAL BLUE 413-418

LIGHT BLUE 413-417


FOREST GREEN 413-416

KELLY GREEN 413-415

RFD 413-411

ORANGE 413-412

GOLD 413-413



THE HELIX® HEIGHT ADJUSTER HAS SPRING-LOADED TECHNOLOGY WHICH MAKES CHANGING YOUR PLAY HEIGHT A SLAM DUNK!



Check out the Helix Video on our YouTube

Channel: Spalding Helix Height Adjusters

SPALDING® HELIX® FAN HEIGHT ADJUSTER

• For use with 20" x 35" Backboard Mounting Pattern Fan or Conversion Backboards

313-403 Spalding® Helix® Fan Height Adjuster (Each) 313-404 Spalding® Helix® Fan Height Adjuster (Pair)

SPALDING® HELIX® HEIGHT ADJUSTER

- For use with 72" Rectangular Backboards on Single or Double Mast Backstops
- For use with Single or Double Mast units (excluding 413-000 & 413-001)

313-401 Spalding® Helix® Height Adjuster (Each) **313-402** Spalding® Helix® Height Adjuster (Pair)

SHARED FEATURES:



- FOR USE WITH WALL-BRACED AND CEILING-SUSPENDED UNITS
- SPRING-LOADED FOR EASY HEIGHT ADJUSTMENT BETWEEN 8-10 FEET
- HEAVY DUTY PVC-COATED SPRING TO REDUCE NOISE
- INCLUDES CRANK HANDLE WITH HOOK
- NYLON BUSHING FOR SMOOTH MOVEMENT WHILE MAINTAINING SAME RIGIDITY OF NON-ADJUSTABLE SYSTEM
- GRAY POWDER COATED FINISH PROTECTS 1 ½" X 3" STEEL TUBING

28 | SPALDING® EQUIPMENT 2020 | SPALDINGEQUIPMENT.COM | 800.435.3865

NON-GLASS BACKBOARDS





STEEL BACKBOARD

- Regulation size
- Graffiti-resistant powder coated finish for indoor/ outdoor play

413-062 Steel Backboard (72" X 42") (5" X 4" Goal Mounting Pattern) (63" X 36" Backboard Mounting Pattern)



STEEL FRONT MOUNT FAN BACKBOARD

- Reinforced with horizontal channels for vibration-free action
- Vertical Strongback[™] for added strength around goal area
- For use with direct mount with gooseneck pole
- Unique bolt-keeper system for easy installation

413-208 Steel Front Mount Fan Backboard (54" X 39") (5" X 5" Goal Mounting Pattern) (35" X 20" Backboard Mounting Pattern)

FIBERGLASS BACKBOARD

- Regulation size
- 1 ½ thick, high density thermally-fused panel
- 5-Ply hand-laminated fiberglass for added strength
- Gel Coat finish for moisture resistance

413-051 Fiberglass Backboard (72" X 42") (5" X 4" Goal Mounting Pattern) (63" X 36" Backboard Mounting Pattern)



FIBERGLASS FAN BACKBOARD

• For use with direct mount with gooseneck pole

413-230 Fiberglass Fan Backboard (54" X 39") (5" X 5" Goal Mounting Pattern) (31 ½" X 20" Backboard Mounting Pattern)



ACCESSORIES



ANTI-WHIP NET

- Meets NBA specifications
 413-625 7 oz. Heavy-Duty Nylon Arena® Anti-Whip Net
- Meets NCAA specifications
- **413-725** 7 oz. Heavy-Duty Nylon 15"-18" Anti-Whip Net



PINK ANTI-WHIP NET

Cannot be used for competitive play

421-328 7 oz. Heavy-Duty Nylon Pink Anti-Whip



SUPER NET

413-609 9 oz. Heavy-Duty Nylon Super Net



STANDARD NET

413-605 5.6 oz. Standard Nylon Net



ECONOMY SCORER'S TABLE

- Fits seminar tables with 2" thick tops, measuring 72" x 18" and 96" x 18"
- Pads are designed to fit tables 29" high, and come in lengths of 6 or 8 feet
- Mounting brackets can fit up to 2" thick top and are made of formed steel sheet and powder-coated
- *Custom logos and school names can be added for an additional fee

COMPLETE TABLE WITH PADS

411-224 - 6' Red 411-231 - 8' Red

411-225 - 6' Burgundy 411-232 - 8' Burgundy

411-226 - 6' Green 411-233 - 8' Green


411-227 - 6' Navy 411-234 - 8' Navy

411-228 - 6' Royal **411-235** - 8' Royal


411-229 - 6' Purple 411-236 - 8' Purple

411-230 - 6' Black **411-237** - 8' Black

* 6' & 8' padding can be purchased without table



GUARD DEFENDER CONFIGURATION



3 IN 1 UNIVERSAL SHOT TRAINER

- Develop the perfect shooting form by keeping your elbow tucked using the form shooting position
- Practice your jumpshots against the extended arm defender
- Work on your cross-overs or step-backs using the guard defender
- Designed for all athletes from 4' to 7' in height

421-560 Universal Shot Trainer

ACCESSORIES

PRACTICE SHOOTING RING

- Trains shooter to be more accurate on their shots
- Intended to improve athletes concentration and confidence when shooting
- Attaches easily to regulation goals reducing target size from 18" to 16"

411-610 Practice Shooting Ring

REBOUND RING

- Develops rebounding skills
- 11" diameter ring installs easily over regulation goal
- Ball can go through ring, but helps teach position and rebounding

411-611 Rebound Ring

Transports easily on built-in smooth rolling casters Not meant for women's play 411-621 McCall's Rebounder

MCCALL'S REBOUNDER


- Known as one of the best rebound skill builders on the market
- · Sharpens players' rebounding skills
- Ideal tool for increasing grip strength and vertical leap
- · Helps improve balance, timing and perception under the goal
- Adjustable from 7' to 12'





- 24"L x 24"W x 24"H
- 24" Diameter acrylic table top
- Steel post and rim with net set on top of a wood base platform







NBA® BALL TRUCK


- Holds 18 full size basketballs
- Constructed of steel tubing with grey powder-coat finish
- Includes swivel wheels
- Non-topple base
- Angled rails for easy ball removal

411-603 NBA® Ball Truck

REPLICA BALL TRUCK

- Holds 15 full size basketballs
- Constructed of durable chrome steel tubing
- Swivel casters
- Non-topple base
- · Angled rails for easy ball removal

411-602 Replica Ball Truck



ECONOMY BALL TRUCK

- Constructed of chrome steel tubing
- Swivel casters
- Non-topple base
- Holds up to 12 balls

411-600 Economy Ball Truck



BALL LOCKER

- · Constructed of welded steel
- Non-marring swivel casters
- Lockable
- Holds up to 30 basketballs or 36 volleyballs

411-605 Ball Locker



CEILING-SUSPENDED

FEATURES:

	1.	STEEL	BEAM	CLAMP
2				

9. SAFETY CABLES AT EACH COMPONENT ATTACHMENT

2 LYNRUS AUTO-LOC SAFETY STRAP

10. 2" x 14 GAUGE SQUARE TUBING SWAY BRACE

3. 3 1/2" O.D. SUPPORT PIPE

11. 6 5/8" O.D. x 10 GAUGE MAST

4. 1/4" AIRCRAFT CABLE

12 POWDER-COAT IN SPALDING® BLUE VEIN

5. STEEL SADDLE CLAMP

13. UPPER BANK EXTENSION

- 6. ADJUSTABLE LEVEL HINGE HANGER
- 14. 42" x 72" GLASS BACKBOARD

- 7. LYNRUS QR4000 HP KEY-0P WINCH
- 15. BREAKAWAY GOAL WITH DIRECT ATTACHMENT

8. 4" TOP CHANNEL

16. E-Z BOLT™ BACKBOARD PADDING

CEILING-SUSPENDED BACKSTOP



- Vertical main mast consists of 6 ⁵/₈" O.D. x 10 gauge pipe sized tubing with 2" x 14 gauge square tubing sway braces to construct a solid frame work
- Our 4" top channel helps support the adjustable backstop hinge hangers which allow precise frame placement, leveling and alignment during installation
- Meets official NCAA® and NFHS® Specifications
- Framework is adaptable to any configuration of Spalding® backboard
- Laboratory tested safety cables are placed at every connection point to help protect against personal injury and/or property damage
- Spalding® blue vein powder-coat finish (custom colors available)





SAFETY

At Spalding, your gym's safety is our top priority!

We engineer all Spalding® ceiling-suspended units with high quality hardware, customizable powder coated parts, safety cables, and even include back-up systems like the Auto-O-Loc 2 safety strap on all Spalding® mechanized ceiling-suspended backstops.

Our gym construction and renovation team will work with your facility crew to assess your needs, specify the right equipment and provide a quality and safe installation. It doesn't matter if you are working on a new gym or are making updates to your existing wall or ceiling-suspended systems, divider curtains, wall padding, volleyball equipment or other gym equipment, Spalding can help. Our certified installers are available and offer full-service work to complete your project.

For all your gymnasium needs, contact Spalding at **800-435-3865 | INQUIRE@SPALDINGEQUIPMENT.COM.**

You can also find all certified Spalding GymPro dealers on our website at **WWW.SPALDINGEQUIPMENT.COM.**

CEILING MAST



GLIDING REAR-BRACED CEILING MAST

- Smooth operation forward-fold unit
- Offers our maximum retraction height, most stable from 16' to 34' attachment height
- Includes all bracing hardware on rear of mast for cleaner game play
- Can be installed as retractable or stationary unit





ALL-PURPOSE CEILING MAST

- Offers front, back, and side folding options with minimal ceiling connection footprint
- Self-locking braces store in same direction as unit folds for cleaner look

CONTACT US AT 1-800-435-3865 FOR CUSTOM COLOR OPTIONS





WALL-BRACED



WALL-BRACED STATIONARY

- Available in lengths from 8" to 13' from wall
- Framework made of four 2" square, steel tube crossbraces and extension tubes
- Tube ends include ¼" heavy duty flange for attaching to 2"x6" wallboards and backboard









WALL-BRACED SIDE FOLD

- Available in lengths from 3' to 13' from wall
- Telescoping diagonal brace includes locking mechanism and adjustable collar, allowing unit placement as desired in playing area (from the floor, utilizing included hand crank)
- Framework made of four 2" square, steel tube crossbraces and extension tubes
- Tube ends include ¼" heavy duty flange for attaching to 2"x6" wallboards and backboard







WALL-BRACED FOLD-UP BACKSTOP

- Available in lengths from 3' to 13' from wall
- Framework made of four 2" square, steel tube crossbraces and saddle welded braces
- Tube ends include ¼" heavy duty flange for attaching to 2"x8" wallboards and backboard
- Backstop raised by 1,000lb manual winch using ¼" steel cable running through 3 ½" diameter deep groove cable pulley on the upper wallboard





SHARED FEATURES:



- COMPATIBLE WITH ALL BACKBOARDS AND HEIGHT ADJUSTERS
- 1/4" STEEL CABLES INCLUDED TO SUPPORT STRUCTURE
- CUSTOM COLORS AVAILABLE
- * PLEASE SEE PRICE LIST FOR PART NUMBERS

BATTING CAGE







CAGE EASILY RAISES AND LOWERS FROM THE CEILING

BATTING CAGE

- Designed for indoor use only
- Frame is constructed of zinc-coated piping
- Minimum ceiling height requirement of 17'
- Cast fittings connect perimeter
- 1 hp electric motor
- Netting attaches easily to the frame with hook and loop straps
- Black net is made of a high strength polyethylene material
- \bullet Standard mesh size is 1 $3\!4\!''$ with $3\!4\!''$ mesh available for golf

417-278	Motorized Retractable 70' Cage (net not included)
417-279	Motorized Retractable 55' Cage (net not included)
417-386	14' wide x 70' long Batting Cage Net Package
417-387	12' wide x 70' long Batting Cage Net Package
417-388	14' wide x 55' long Batting Cage Net Package
417-389	12' wide x 55' long Batting Cage Net Package
417-395	14' wide x 70' long Golf Mesh Cage Net Package

DIVIDER CURTAINS -

SHARED FEATURES:



- LOWER SECTION OF THE CURTAIN IS CONSTRUCTED OF A SOLID 18 OZ. VINYL AND THE UPPER SECTION MADE OF A 9 OZ. MESH WITH 2" WELDED SEAMS.
- THIS PRODUCT MEETS THE CALIFORNIA STATE FIRE CODE
- **ONE-YEAR LIMITED WARRANTY ON MATERIALS** AND WORKMANSHIP



CUSTOM CURTAINS OPTIONS AVAILABLE -CONTACT US AT 1-800-435-3865 **FOR DETAILS**



 	4	 	 <u> </u>	

WALK-DRAW

- The most cost effective way to divide your gym.
- Best curtain option for maximum clearance on ceiling heights below 28'.
- A 3" pocket lines the bottom edge of the curtain to accommodate the coil-proof chain as a weighted
- Track is made from 16 gauge galvanized steel which holds trolley wheels for easy mobility.
- Vinyl fabric lines the top edge of the curtain with grommets every 12", which attach to the carriers and s-hooks.
- Storage space is $\frac{1}{8}$ " per foot of the curtain.
- Curtain does not utilize a winch, but is moveable by manpower similar to a shower curtain.

AVAILABLE VINYL COLORS























ORANGE

GREEN



PURPLE

BLUE

NAVY

TAN


GRAY

BLACK









FOLD UP

- Offers a clean way to divide your gymnasium into two useful areas.
- Accordion folds are powered by ¹/₈" steel cables running through grommets vertically, to a clean pocket at the bottom of the curtain with a weighted
- Cables wrap neatly on a 5" spool rotated by a 3/4 hp electric winch.
- Strap connection to bottom batten tube to prevent sharp edges.

RIDGE FOLD

- These custom curtains contour to the slope of your facility's roof line for maximum ceiling coverage.
- When raising the curtain, it accordion folds by $\frac{1}{8}$ " steel cables running through grommets vertically which pass through overhead pulleys drive by a 3/4 hp electric winch.
- Vinyl fabric lines the top edge of the curtain with grommets every 12", that attach to the carrier and s-hooks.
- S-hooks attach on the top of the curtain by a chain and carrier rollers that sit in a 16 gauge steel channel track keeping nice lines.

AVAILABLE MESH COLORS















RED

ALL COLORS ARE CAL 117, NFPA 701, ASTM E84, COMPLIANT NOTE: COLORS SHOWN IN CATALOG AND ON WEBSITE MAY NOT BE AN **EXACT MATCH**

DIGITAL GRAPHIC WALL PADS -




INSTALLATION TIP:

Wall pads should be a minimum of 6' high and installed at a maximum of 6" above the finished floor

All digital graphics are printed using state-of-the-art, six-color large format printers. Durable, vivid inks are designed to be long-lasting relative to the silk-screens and vinyl applications of the past. High resolution printing provides sharp image quality from any distance.

- Any of our wall pads can be custom printed to match your logo and color scheme specifications
- Full color printing allows unlimited color options
- Artwork is printed directly onto vinyl covers and attached to backing material


Please contact Spalding® at 1-800-435-3865 for ordering information and specifications on custom digital graphics.



WALL PADDING

SHARED FEATURES:

- STANDARD WALL PAD SIZE IS 2' X 6'
- CHOOSE FROM A VARIETY OF STANDARD COLORS
- PAD MEETS NATIONAL FIRE PROTECTION STANDARD 701, ASTM E-84 AND CAL 117
- 2 ⁷/₁₆" (62MM) THICK PROTECTIVE WALL PADDING CAN BE INSTALLED PERMANENTLY OR REMOVABLE



CLASS A FIRE WALL PADS

- Constructed of ⁷/₁₆" (11mm) O.S.B. backing, 2" polychloroprene foam and 18 oz. vinyl cover
- Class A Fire Rating (meets ASTM E84 testing procedures)

2" POLYURETHANE WALL PADS

 \bullet Constructed of $^7\!/_{16}$ " (11mm) O.S.B. backing, 2" $\,$ 100 ILD polyurethane foam and 18 oz. vinyl cover

2" LAMINATE WALL PADS

• Constructed of ⁷/₁₆" (11mm) O.S.B. backing, 2" laminated polyethylene foam and 18 oz. vinyl cover



COMPONENTS

AUT-O-LOC SAFETY BELT

- Designed specifically for today's moving and folding backstops.
- Lightweight only 14 lbs. / 6.43kg.
- Rated for a maximum of 1,000 lbs. / 453.51kg.
- Fully automatic.
- Spring loaded to retract up to 35 feet. Optional 45 foot / 13.7 meter lead belt is also available.
- Inertia plate activates three separate pawls to minimize shock and instantly stop the load before it gains momentum.



402-865 Aut-O-Loc Safety Belt for Backstops

401-875 Retractor Reel (not shown)

CURTAIN LOCK

- The Curtain Lock is designed to stop a shaft from rotating in the event of a sudden unexpected increase in speed or a gradual over-speed.
- Load Rating: 1250 lbs. of suspended load on a 2 ³/₈" pipe diameter (max loads will vary by diameter of cable spool).
- Speed Rating: Unit will lock at approximately 200 RPM or 1 foot per second on a 2 ³/₈" drum.
- The unit only locks in one direction.
 Arrow on hub of the Curtain Lock indicates the downward rotation of device and should be tested prior to powering your equipment.



402-225 Curtain Lock **017330** Curtain/RBC Winch

Q4 ELECTRIC WINCH

- 115 volt, single phase, instantly reversing 3/4 HP motor.
- Over 1,250 lbs. of vertical line pull at 9 feet per minute.
- Large grooved drum with a 4 ½" diameter.
- High speed worm gear supported for both radial and thrust loads.
- Positive locking double reduction worm gear drive provides a 200:1 reduction rate.
- Sealed gear case provides a lifetime of maintenance-free operation.
- Includes Deluxe Key Switch.



402-742 QR4000 Electric Winch 301-064 Winch Retrofit/Refurb Kit (not shown)

REMOTE CONTROL TRANSMITTER FOR ELECTRIC WINCH



- Program up to 99 devices within vour gym
- Works in conjunction with 301-088

301-087 Remote Control Transmitter for Electric Winch

DELUXE KEY SWITCHFOR ELECTRIC WINCH



 Works in conjunction with 301-088

402-980 Deluxe Key Switch for Electric Winch

MANUAL WINCH 1,000 LB. CAPACITY WITH CRANK HANDLE





- Efficient 40:1 worm gear ratio
- Long-lasting, ball-bearing type thrust bearing
- Maintenance-free lifetime sealed gear case

402-760 Manual Winch 1,000 lb. Capacity with Crank Handle 014-815 Replacement Handle

REMOTE CONTROL RECEIVER FOR ELECTRIC WINCH





• Works in conjunction with 301-087

301-088 Remote Control Receiver for Electric Winch

— COACHES NOTES

GENERAL WARRANTY INFORMATION AVAILABLE AT SPALDINGEQUIPMENT.COM/WARRANTY

NBA®

The NBA® and individual NBA® member team identifications are the intellectual property of NBA® Properties, Inc. and the respective NBA® member teams. © 2020 NBA® Properties, Inc. All rights reserved.

WNR

The WNBA and WNBA team identifications are trademarks and copyrighted designs, and/or other forms of intellectual property of WNBA Enterprises, LLC and may not be used, in whole or in part, without the prior written consent of WNBA Enterprises, LLC. © 2020 WNBA Enterprises, LLC. All rights reserved.

G-l eague

The NBA DL and NBA DL team identifications are the trademarks and copyrighted designs, and/or other forms of intellectual property of NBA Development League, LLC. and may not be used, in whole or in part, without the prior written consent of NBA Development League, LLC, © 2020 NBA Development League, LLC. All Rights Reserved.

NCAA® and Final Four®

The NCAA® and Final Four® are registered trademarks of The National Collegiate Athletic Association.

CALIFORNIA PROPOSITION 65

Certain products in this catalog are subject to the California Safe Drinking Water and Toxic Enforcement Act of 1986, more commonly known as "Proposition 65." Proposition 65 requires clear and reasonable warnings for products that expose individuals in the State of California to a chemical known to the State to cause cancer, birth defects, and other reproductive harm. Applicable products shipped to California will have the following Warning (or other appropriate warning) affixed:

WARNING: This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm.