

PULASTIC CLASSIC 90

A seamless multi-purpose sports floor that provides comfort and safety for all levels of competition, along with excellent resistance to mechanical loads





- Approved by FIBA and IHF
- Manufactured under ISO 9001, ISO 14001, and CSR Level 3 (ISO 26000)
- Good resiliency for comfort and injury prevention
- Seamless, non-porous and smooth surface for easy maintenance, repair and resurface options
- Excellent contact noise reduction for outstanding acoustic isolation
- Sustainability through high content of recycled and rapidly renewable raw materials
- Water based finish for very low odor during installation and maximum indoor clean air protection during use
- Outstanding mechanical strength and wear resistance for optimal life cycle cost and maximum usability





PROVEN Performance

PROVEN Winners

ED IEQ.



INDOOR | MULTI- PURPOSE | BASKETBALL | VOLLEYBALL AEROBICS | TRAINING FACILITY | COMPETITION LEVEL

Product Specifications

0	Nominal Thickness	9 mm	
0	Character	Point-Elastic	
0	Shock Absorption	29%	DIN 18032-91
0	Vertical Deformation	1.0 mm	EN 14809
0	Ball Bounce	98%	EN 12235
0	Resistance to Rolling Load	≥ 1500 N	EN 1569
0	Resistance to Impact	≥ 800 gr @ 10°C	EN 1517
0	Resistance to Indentation	0.35 mm @ 5 min 0.15 mm @ 24 hrs	EN 1516 EN 1516
0	V.O.C. Content- Adhesive	Solvent Free	
	V.O.C. Content- Finish	45 gr/lit	ASTM D 3960
0	Elongation at break- Structure Tensile Strength- Structure Tear Strength- Structure	150% 8 N/mm ² 25 N/mm	DIN 53455 DIN 53455 DIN 53515
0	Warranty	25 YEAR manufacturer's warranty	


16 Classic Colors to Choose From



Robbins is proud to partner with the following organizations:

robbinsfloor.com | 1.800.543.1913

PULASTIC® STANDARD COLORS



PULASTIC® DESIGNER COLORS



PULASTIC® LINEMARKING COLORS





All Rights Reserved. ©2023 Robbins, Inc.