

PULASTIC COMFORT COURT 50

A high-end multifunctional OUTDOOR or INDOOR sports floor providing excellent comfort and safety for training and competition facilities







- Approved by FIBA and IHF
- Manufactured under ISO 9001, ISO 14001, and CSR Level 3 (ISO 26000)

ERTIFIED

- Excellent resiliency for comfort and injury prevention
- Outstanding properties under severe outdoor influences such as UV rays, moisture, and temperature variances
- Textured surface design provides excellent ball consistency, as well as ease in multi-directional movement & performance
- Sustainability through high content of recycled and renewable raw materials
 - Water based finish for very low odor during installation and maximum indoor clean air protection during use
 - Outstanding mechanical strength and wear resistance for optimal life cycle cost and maximum usability

PROVEN Safety

PROVEN Performance PROVEN Winners



Comfort Court 50

INDOOR | MULTI- PURPOSE | BASKETBALL | TENNIS TRAINING FACILITY | COMPETITION LEVEL

| Product Specifications | | | |
|-------------------------------------|--|--------------------|----------------|
| O Nominal Thickness | 5 mm | | |
| O Character | Point-Elastic | | |
| Shock Absorption | 12% | EN 14808 | |
| O Vertical Deformation | 0.6 mm | EN 14809 | |
| O Ball Bounce | 99% | EN 12235 | 9 |
| O Resistance to Rolling Load | 0.14 mm | EN 1569 | |
| O Resistance to Impact | ≥ 800 gr @ 10°C ≥ 1200 gr @ 17°C | EN 1517 EN 1517 | |
| O Resistance to Indentation | 0.50 mm @ 5 min 0.16 mm @ 24 hrs | • | |
| • V.O.C. Content- Adhesive | Solvent Free | | |
| Resin Composition | Free of solvents and heavy metals | | |
| O Elongation at break- Structure | 180% | DIN 53455 | *(cc fo |
| Tensile Strength- Structure | 8 N/mm ² | DIN 53455 | Γ |
| Tear Strength- Structure | 18 N/mm | DIN 53515 | \mid |
| Warranty Egis | 1 year manufacturer's warranty with optional Extended Warranty Program (<i>Egis Floorlife</i>) | | |

robbinsfloor.com

1.800.543.1913

Robbins, Inc. | 4777 Eastern Avenue | Cincinnati, OH 45226

16 Classic Colors to Choose From



*Custom color options available. Due to printer variation, actual floor colors may be slightly different from colors above. Consult your dealer for color accuracy.



PULASTIC® STANDARD COLORS



IRON GREY (507)

RED OXIDE (100)

On-screen and printer color representation may vary slightly from the actual coating colors. Note that any color sample can appear differently under various light wavelengths. Consult your Robbins Pulastic* dealer for the most accurate color representation.

PULASTIC® DESIGNER COLORS



MAROON RED (123)

On-screen and printer color representation may vary slightly from the actual coating colors. Note that any color sample can appear differently under various light wavelengths. Consult your Robbins Pulastic* dealer for the most accurate color representation. Additional lead time and upcharge may apply to our designer colors. Colors marked with * require a double topcoat application. This only applies to Pulastic* sports floor coatings.

MIDNIGHT BLUE (323)

PULASTIC® LINEMARKING COLORS





All Rights Reserved. ©2023 Robbins, Inc.

On-screen and printer color representation may vary slightly from the actual coating colors. Note that any color sample can appear differently under various light wavelengths. Consult your Robbins Pulastic* dealer for the most accurate color representation.